

# NAGY DÓZISÚ QUETIAPIN KEZELÉssel SZERZETT TAPASZTALATOK

**Nagy Judit**

Fővárosi Szent István Kórház Merényi Gusztáv Kórháza, Pszichiátriai Osztály

## ÖSSZEFOGLALÁS

A Fővárosi Szent István Kórház Merényi Kórháza Pszichiátriai Osztályán és Ambulanciáján 35 beteg részesült quetiapin terápiában 15 hónap alatt nyílt vizsgálatban. A 24 nő és 11 férfi életkora 25 és 64 év között változott, átlagéletkoruk 44,6 év volt. A DSM-IV nosológiai kategóriák szerint történt kórismék megoszlása: 31 schizofrenia (29 paranoid, 1 kataton, 1 hebephren), 2 schizoaffectív pszichózis (1 kevert, 1 mániás tünetekkel), 1 PMD mániás tünetekkel, 1 alkoholos pszichózis. Az irodalmi adatokhoz képest a napi terápiás dózis magasabb volt: 200-1600 mg/nap. A fenntartó adag közel a felére csökkent. A terápiás hatás Clinical Global Impression pontozókálával mérve: 74,28% volt a tünetmentes és a sokat javult állapot, a keveset javulttal együtt 94,28%-ra nőtt. A dózis emelésével a terápiás hatás nőtt, a mellékhatások nem emelkedtek. Extrapiramidális mellékhatást nem észleltünk. A quetiapin jól torelható, hatásos és biztonságos szernek bizonyult nagy dózis (1600 mg) mellett is.

**KULCSSZAVAK:** quetiapin, schizofrenia, schizoaffectív pszichózis, dózis, nagy dózis

## TREATMENT WITH QUETIAPINE IN HIGH-DOSE

During the last 15 months 35 patients were treated with quetiapine in an open study. The diagnoses according the nosologic categories of DSM-IV were: 31 schizophrenia (29 paranoid, 1 catatonic, 1 hebephrenic), 2 schizoaffective psychosis, 1 maniac psychosis, 1 alcoholic psychosis. The age of the 24 female and 11 male patients were between 25 and 64 years, the mean age was 44,6 years. In contrast to doses found in the literature these patients received higher dose of quetiapine: 200-1600 mg/day. The maintenance dose was lower, about half of the initial dose. The efficacy (measured by Clinical Global Impression Scale): 74,8% of the patients improved much or become symptom free, and 94,28% of the patients improved, much improved or become symptom free. It was found only few adverse effect. The author concludes (notice of 35 patients and 15 months) that the excellent tolerability of quetiapine in high-dose (1600 mg), its tendency not cause extrapyramidal symptoms and its efficacy in psychosis and its safety.

**KEYWORDS:** quetiapine, schizophrenia, schizoaffective psychosis, dose, high-dose